

Angle grinder



Pattern: 3182

Description:

Max Disc Diameter: ϕ 180mm/230mm

Hole Diameter of Disc: ϕ 22mm

No-Load Speed: 8500r/min/6500r/min

Rated Input Power: 2000W

Weight: 4.2Kg



Pattern: 3180

Description:

Max Disc Diameter: ϕ 180mm/230mm

Hole Diameter of Disc: ϕ 22mm

No-Load Speed: 8500r/min/6600r/min

Rated Input Power: 2200W

Weight: 5.0Kg



Pattern: 3150

Description:

Max Disc Diameter: ϕ 150mm

Hole Diameter of Disc: ϕ 14mm

No-Load Speed: 8000r/min

Rated Input Power: 900W

Weight: 3.6Kg





Pattern: 3106
Description:

Max Disc Diameter: ϕ 100mm
Hole Diameter of Disc: ϕ 10mm
Hole Diameter of Wheel (mm): ϕ 16mm
No-Load Speed: 11000r/min
Rated Input Power: 650W
Weight: 1.5Kg



Pattern: 3102
Description:

Max Disc Diameter: ϕ 100mm/115mm
Hole Diameter of Disc: ϕ 10mm
No-Load Speed: 11000r/min
Rated Input Power: 540W
Weight

Circular saw



Pattern: 5901
Description:

Blade Diameter: ϕ 235mm
Max. Cutting Capacity: 90° (84mm)
45° (58mm)
No-Load Speed: 4100r/min
Rated Input Power: 1380W
Weight: 8Kg



Pattern: 5700

Description:

Blade Diameter: ϕ 185mm

Max. Cutting Capacity: 90° (66mm)

45° (46mm)

No-Load Speed: 5500r/min

Rated Input Power: 1100W

Weight: 4.

Electric hammer



Pattern: 2612

Description:

Input Power: 1200W

Rated Voltage/Frequency: 230V 50Hz

Impact Level: 3500min⁻¹

Weight: 5.3Kg



Pattern: 2615

Description:

Input Power: 1240W

Rated Voltage/Frequency: 230V 50Hz

Impact Level: 1400min⁻¹

Weight: 15Kg



Pattern: 2040

Description:

Input Power: 1600W

Rated Voltage/Frequency: 230V 50Hz

No-Load Speed: 800r/min

Impact Level: 4600min⁻¹

Weight: 6.2Kg

Concretes/Steel/Wood: 40/13/40



Pattern: 2634

Description:

Input Power: 1350W

Rated Voltage/Frequency: 230V 50HZ

No-Load Speed: 780r/min

Impact Level: 4300min⁻¹

Weight:5.5Kg

Concretes/Steel/Wood: 32/13/40



Pattern: 2035

Description:

Input Power: 1200W

Rated Voltage/Frequency: 230V 50Hz

No-Load Speed: 780r/min

Impact Level: 4300min⁻¹

Weight: 5.5Kg

Concretes/Steel/Wood: 32/13/40



Pattern: 2032

Description:

Input Power: 1050W

Rated Voltage/Frequency: 230V 50Hz

No-Load Speed: 780r/min

Impact Level: 4300min⁻¹

Weight: 5.5Kg

Concretes/Steel/Wood: 32/13/40



Pattern: 2125
Description:

Input Power: 600W
Rated Voltage/Frequency: 230V 50Hz
No-Load Speed: 0-1100r/min
Impact Level: 0-3900min⁻¹
Weight: 2.5Kg
Concretes/Steel/Wood: 24/13/30



Pattern: 2121
Description:

Input Power: 550W
Rated Voltage/Frequency: 230V 50Hz
No-Load Speed: 0-1000r/min
Impact Level: 0-3800min⁻¹
Weight: 2.3Kg
Concretes/Steel/Wood: 20/13/30



Pattern: 8100
Sort: ELECTRIC PLANER

Input Power: 500W(4.2A)
Rated Voltage/Frequency: 120V 60Hz
Max.Planning With:82mm 3-1/4"
Max.Planning Depth: 1mm 1/32"
No-Load Speed:16000r/min
Weight: 2.5Kg

Marble cutter



Pattern: 4355
Description:

Blade Diameter: 355x3x25.4mm
No-Load Speed: 3900r/min
Rated Input Power: 2300W
Weight: 17Kg



Pattern: 4102
Description:

Blade Diameter: ϕ 110mm
Max.Cutting Capacity: 34mm
No-Load Speed: 12000r/min
Rated Input Power: 1240W
Weight: 2.8Kg



Pattern: 4100
Description:

Blade Diameter: ϕ 110mm
Max.Cutting Capacity: 34mm
No-Load Speed: 11000r/min
Rated Input Power: 1050W

Sander



Pattern: 6900
Description:
Sanding Belt Size: 76X610(3"x24")
Rated Voltage/Frequency: 120V/60Hz
Input Power: 1100W(9A)
No-Load Belt Speed:350min⁻¹
Weight:4.8Kg



Pattern: 6901
Description:
Sanding Belt Size: 100X610(4"x24")
Rated Voltage/Frequency: 120V/60Hz
Input Power: 1200W(10A)
No-Load Belt Speed: 350min⁻¹
Weight

trimmer



Pattern: 8212
Description:
Chuck Diameter: ϕ 12mm
No-Load Speed: 23000r/min
Plug Runing: 0-65mm
Rated Input Power: 1500W
Weight: 5Kg



Pattern: 8201
Description:
Collet Chuck Diameter: ϕ 6mm
No-Load Speed: 30000r/min
Rated Input Power: 350W
Weight: 1.5Kg

Armature




Pattern: LS1030N

Description:



Pattern: HR3850

Description:



Pattern: 9523NB

Description:



Pattern: GWS20-180

Description:





Pattern: GBH 2-24DS

Description